What's on your plate?





Before you eat, think about what and how much food goes on your plate or in your cup or bowl.

Over the day, include foods from all food groups: vegetables, fruits, whole grains, low-fat dairy products, and lean protein foods.



Make half your plate fruits and vegetables.



Make at least half your grains whole.



Switch to skim or 1% milk.



Vary your protein food choices.

Vegetables	Fruits	Grains	Dairy	Protein Foods	Cut back on sodium and empty calories	
Eat more red, orange, and dark-green veg- gies like tomatoes, sweet potatoes, and broccoli in main dishes. Add beans or peas or salads (kidney or chickpeas), soups (split peas or lentils), and side dishes (pinto or baked beans), or serve as a main dish. Fresh, frozen, and canned vegetables all count. Choose ireduced sodium" or "no-salt-added" canned veggies.	Use fruits as snacks, salads, and desserts. At breakfast, top your cereal with bananas or strawberries; add blueberries to pancakes. Buy fruits that are dried, frozen, and canned (in water or 100% juice), as well as fresh fruits. Select 100% fruit juice when choosing juices.	Substitute whole- grain choices for refined-grain breads, bagels, rolls, break- fast cereals, crackers, rice, and pasta. Check the ingredients list on product labels for the words "whole" or "whole grain" before the grain ingredient name. Choose products that name a whole grain first on the ingredients list.	Choose skim (fat- free) or 1% (low-fat) milk. They have the same amount of calcium and other essential nutrients as whole milk, but less fat and calories. Top fruit salads and baked potatoes with low-fat yogurt. If you are lactose intolerant, try lactose-free milk or fortified soymilk (soy beverage).	Eat a variety of foods from the protein food group each week, such as seafood, beans and peas, and nuts as well as lean meats, poultry, and eggs. Twice a week, make seafood the protein on your plate. Choose lean meats and ground beef that are at least 90% lean. Trim or drain fat from meat and remove skin from poultry to cut fat and calories.	Look out for salt (sodium) in foods you buy. Compare sodium in foods and choose those with a lower number. Drink water instead of sugary drinks. Eat sugary desserts less often. Make foods that are high in solid fats—such as cakes, cookies, ice cream, pizza, cheese, sausages, and hot dogs—occasional choices, not every day foods. Limit empty calories to less than	
For a 2,000	D-calorie daily food pl To find amounts pers	an, you need the amo		food group.	Limit empty calories to less than 260 per day, based on a 2,000 calorie diet.	
Eat 2½ cups every day	Eat 2 cups every day	Eat 6 ounces every day	Get 3 cups every day	Eat 5½ ounces every day	Be physically active your way	
What counts as a cup? 1 cup of raw or cooked vegetables or vegetable juice; 2 cups of leafy salad greens	What counts as a cup? 1 cup of raw or cooked fruit or 100% fruit juice; ½ cup dried fruit	What counts as an ounce? 1 slice of bread; ½ cup of cooked rice, cereal, or pasta; 1 ounce of ready-to- eat cereal	What counts as a cup? 1 cup of milk, yogurt, or fortified soymilk; 1½ ounces natural or 2 ounces processed cheese	What counts as an ounce? 1 ounce of lean meat, poultry, or fish; 1 egg; 1 Tbsp peanut butter; ½ ounce nuts or seeds; ¼ cup beans or peas	Pick activities you like and do each for at least 10 minutes at a time. Every bit adds up, and health benefits increase as you spend more time being active. Children and adolescents: get 60 minutes or more a day.	
		U.S. Department of Agriculture • Center for Nutrition Policy and Promotion August 2011 CNPP-25 USDA is an equal opportunity provider and employer.				